भारतीय मानक Indian Standard

IS 1199 (Part 1): 2018

ताजा कंक्रीट — नमूने लेना, परीक्षण एवं विश्लेषण पद्धतियाँ

भाग 1 ताजा कंक्रीट के नमूने लेना (पहला पुनरीक्षण)

Fresh Concrete — Methods of Sampling, Testing and Analysis

Part 1 Sampling of Fresh Concrete

(First Revision)

ICS 91.100.30

© BIS 2018



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली-110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI-110002

www.bis.org.in www.standardsbis.in

Cement and Concrete Sectional Committee, CED 02

FOREWORD

This Indian Standard (Part 1) (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Cement and Concrete Sectional Committee had been approved by the Civil Engineering Division Council.

Testing plays an important role in controlling the quality of cement concrete work. Systematic testing of the raw materials, the fresh concrete and the hardened concrete, is an inseparable part of any quality control programme for concrete. This helps to achieve a higher efficiency of the materials used and greater assurance of the performance of the concrete, in regard to workability, strength and durability. The test methods used should be simple, direct and convenient to apply. This standard was formulated with this objective in view.

This standard was first published in 1959. In this revision, it was decided to review and update the various existing test methods of fresh concrete taking into consideration the latest international practices and developments in this field in the country, and also introduced certain new test methods, wherever required. In the process, the various existing test methods covered in IS 1199: 1959 'Method of sampling and analysis of concrete', have been revised. The revision of the standard is being brought out taking into consideration primarily the corresponding ISO standards while also examining the other best practices world over and in the country. In addition, test methods for determination of properties of new types of concrete like self-compacting concrete have been included, covering tests such as consistency, viscosity, passing ability and segregation resistance. Also, for better understanding and implementation, some of the other test methods which were spread over in other Indian standards have been brought together under the fold of IS 1199 as its various parts, such as the setting time of concrete by penetration method and, water soluble and acid soluble chlorides in mortar and concrete. This is with a view to making the standard complete in all respects, and rendering it a comprehensive source of provisions for testing of concrete and reference in other Indian Standards.

In this revision, IS 1199 has been split into nine parts. The other parts in the series are:

- Part 2 Determination of consistency of fresh concrete
- Part 3 Determination of density of fresh concrete
- Part 4 Determination of air content of fresh concrete
- Part 5 Making and curing of test specimens
- Part 6 Tests on fresh self compacting concrete
- Part 7 Determination of setting time of concrete by penetration resistance
- Part 8 Determination of water soluble and acid soluble chlorides in mortar and concrete
- Part 9 Analysis of freshly mixed concrete

This standard (Part 1) covers the procedures for sampling of fresh concrete.

This revision of the standard has been taken up to incorporate the modifications found necessary in the light of experience gained in its use and also to bring it in line with the latest development on the subject.

These test methods shall be applicable as and when published in place of the corresponding provisions given in IS 1199: 1959 'Method of sampling and analysis of concrete'. IS 1199: 1959 shall be superseded after the publication of all the parts of the standard.

Significant provisions in this revision are highlighted below:

- a) Details on apparatus, such as scoop, containers, and thermometer have been covered.
- b) Procedure for obtaining spot sample has been covered.
- c) A detailed clause for the mixing, transporting and handling of samples has been included.
- d) Clause on the sampling record has been elaborated.

Indian Standard

FRESH CONCRETE — METHODS OF SAMPLING, TESTING AND ANALYSIS

PART 1 SAMPLING OF FRESH CONCRETE

(First Revision)

1 SCOPE

This standard (Part 1) specifies procedures for the sampling of fresh concrete. The samples are used for the testing of properties of fresh concrete, or for making test specimens to determine the properties of hardened concrete.

NOTE — The provisions of this standard shall not be applicable to concrete with special applications, such as pervious concrete.

2 REFERENCES

The standards listed in Annex A contain provisions, which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated in Annex A.

3 TERMINOLOGY

For the purpose of this standard, the definitions given in IS 4845, IS 6461 (Parts 1 to 12) and the following shall apply.

- **3.1 Batch** Quantity of concrete, mixed in one cycle of operations of a batch mixer or the quantity of concrete conveyed ready mixed in a vehicle, or the quantity of concrete discharged over 1 min from a continuous mixer.
- **3.2 Composite Sample** Quantity of concrete consisting of a number of increments, distributed through a batch or mass of concrete, which are thoroughly mixed together.
- **3.3 Spot Sample** Quantity of concrete taken from a part of a batch or mass of concrete, consisting of one or more increments that are thoroughly mixed together.
- **3.4 Increment** Quantity of concrete taken by the single operation of a scoop.

4 PRINCIPLE

4.1 Taking a Composite Sample

Concrete is sampled from a stream of moving concrete

or from a pile, in a series of increments according to **6.1**. These increments are then thoroughly mixed together.

4.2 Taking a Spot Sample

Concrete is sampled from a stream of moving concrete or from a pile, at a single point. Spot samples are not representative of the batch and should not be used to cast strength specimens.

5 APPARATUS

- **5.1 Scoop**, made from non-absorbent material not readily attacked by cement paste, with a size suitable for taking increments of concrete.
- **5.2 Containers**, one or more containers, made from non-absorbent material (preferably made of metal) not readily attacked by cement paste, for receiving, transporting and remixing the concrete samples.
- **5.3 Thermometer,** (when required), to measure the temperature of fresh concrete to an accuracy of ± 1 °C.

6 PROCEDURE

Whether a composite sample or spot sample is to be taken will depend on intended use of the sample. Spot samples are not representative of the batch and should not be used to make strength specimens.

For samples to be used for strength test, a minimum quantity of 0.02 m³ will be essential. For other tests such as air content, temperature and determination of consistence, smaller size samples may suffice. The size of samples shall also depend upon the maximum size of aggregate.

NOTE — While sampling, prevent skin contact with fresh concrete by wearing suitable protective clothing, gloves and footwear. If wet cement or concrete enters the eye, immediately wash it out thoroughly with clean water and seek medical treatment without delay. Wash fresh concrete off the skin immediately.

6.1 Obtaining a Composite Sample

Ensure that the apparatus is clean and dampen it with a moist, but not wet, cloth prior to use. Using the scoop, take the required number of increments uniformly

distributed throughout the batch. When sampling from a stationary batch mixer or ready-mixed concrete truck, disregard the very first and the very last of the discharge (about 10 to 15 percent). When sampling from a falling stream, the increments shall be taken in such a way as to represent the whole width and thickness of the stream. If the batch has been deposited in a heap of concrete, take the increments, wherever possible, distributed through the depth of the concrete as well as over the exposed surface. Increments shall not be taken from parts of the concrete that appear to be segregated.

The increments shall be taken from at least four points. Deposit the increments into the container(s).

6.2 Obtaining a Spot Sample

Ensure that the apparatus is clean and dampen it with a moist, but not wet, cloth prior to use. Take the sample increment(s) by a scoop from the required part of a batch or mass of concrete. Deposit the increment(s) into the container(s).

6.3 Mixing, Transporting and Handling of Samples

The samples, obtained by either of the methods described above, shall be mixed thoroughly in non-absorbent container with shovel or by other suitable implement.

At all stages of sampling, transporting and handling, care shall be taken to protect the fresh concrete samples against contamination, increase or loss of moisture, excessive vibration, and against extreme variations of temperature.

The properties of fresh concrete change with time after mixing, depending upon climatic conditions, more so if the concrete contains admixture. This should be taken into account in deciding when test specimens are made and when tests are carried out.

It is recommended that the tests for slump, temperature, and air content should start within 5 min after obtaining the final portion of the composite sample. Complete these tests expeditiously. Filling of the specimens for strength tests shall commence within 15 min after thorough mixing of the composite sample.

6.4 Measuring the Temperature of the Sample

Whenever required, measure the temperature of the concrete in the container(s) at the time of sampling.

7 SAMPLING RECORD

The following information regarding the samples shall be included in the sample report:

- a) Clear identification of the sample (sample number).
- b) Type of sample (composite or spot),
- c) Date and time of sampling,
- d) Type and grade (if applicable) of cement and admixtures (if used),
- e) Identification of the works which the sample represents,
- f) Identification of the batch or truck mixer sampled,
- g) Ambient temperature,
- h) Temperature of the concrete sample (when required),
- Any deviations from the standard method of sampling,
- A declaration by the person responsible for sampling that the sample was obtained in accordance with this Indian standard, except as noted in (j), and
- m) Name and signature of person responsible for sampling.

ANNEX A

(Clause 2)

LIST OF REFERRED INDIAN STANDARDS

IS No.	Title	IS No.	Title
4845 : 1968	Definitions and terminology	(Part 5): 1972	Formwork for concrete
	relating to hydraulic cement	(Part 6): 1972	Equipment, tools and plant
6461	Glossary of terms relating to	(Part 7): 1973	Mixing, laying, compaction,
	cement concrete		curing and other construction
(Part 1): 1972	Concrete aggregates		aspects
(Part 2): 1972	Materials (Other than cement and	(Part 8):1973	Properties of concrete
	aggregate)	(Part 9): 1973	Structural aspects
(Part 3): 1972	Concrete reinforcement	(Part 10): 1973	Tests and testing apparatus
(Part 4): 1972	Types of concrete	(Part 11): 1973	Prestressed concrete
		(Part 12): 1973	Miscellaneous

ANNEX B

(Foreword)

COMMITTEE COMPOSITION

Cement and Concrete Sectional Committee, CED 02

	Organization	
n	Personal Capacity (14A, Summer Breeze, Kuravankonam,	
	Kowdiar, Thiruvananthapuram 695 003)	

ACC Ltd, Mumbai

Ambuja Cements Limited, Ahmedabad

Atomic Energy Regulatory Board, Mumbai

Builders' Association of India, Mumbai

Building Materials and Technology Promotion Council, New Delhi

Cement Manufacturers' Association, Noida

Central Public Works Department, New Delhi

CSIR - Central Building Research Institute, Roorkee

CSIR - Central Road Research Institute, New Delhi

CSIR - Structural Engineering Research Centre, Chennai

Central Soil and Materials Research Station, New Delhi

Central Water Commission, New Delhi

Conmat Technolgies Pvt Ltd, Kolkata

Construction Chemical Manufacturers' Association, Mumbai

Delhi Development Authority, New Delhi

Department of Science and Technology, Ministry of Science and Technology, New Delhi

Engineers India Limited, New Delhi

Gammon India Limited, Mumbai

Hindustan Construction Company Limited, Mumbai

Housing and Urban Development Corporation Limited, New Delhi Indian Association of Structural Engineers, New Delhi

Indian Concrete Institute, Chennai

Indian Institute of Technology Delhi, New Delhi Indian Institute of Technology Madras, Chennai Representative(s)

Shri Jose Kurian (Chairman)

SHRI S. A. KHADILKAR
SHRI RAMAN SADANAND PARULEKAR (Alternate)

Shri J. P. Desai Dr Bibekananda Mohapatra (*Alternate*)

SHRI L. R. BISHNOI SHRI SOURAV ACHARYA (*Alternate*)

Shri Sushanta Kumar Basu Shri D. R. Sekor (*Alternate*)

SHRI J. K. PRASAD SHRI C. N. JHA (*Alternate*)

Shri Rakesh Bhargava Dr S. K. Handoo (*Alternate*)

Shri A. K. Garg Shri Rajesh Khare (*Alternate*)

SHRI S. K. SINGH
SHRI SUBHASH GURRAM (Alternate)

SHRI J. B. SENGUPTA
SHRI SATISH PANDEY (Alternate)

Dr K. Ramanjaneyulu Dr P. Srinivasan (*Alternate*)

Curr N. Curr Vancan (414

SHRI N. SIVA KUMAR (Alternate)
DIRECTOR (CMDD) (N&W)

DEPUTY DIRECTOR (CMDD) (NW&S) (Alternate)

Dr A. K. Chatterjee Shri Subrato Chowdhury (*Alternate*)

SHRI SAMIR SURLAKER
SHRI NILOTPOL KAR (Alternate)

SHRI LAXMAN SINGH
SHRI VIJAY SHANKAR (Alternate)

Shri Chander Mohan

Shri Rajanji Srivastava Shri Anurag Sinha (*Alternate*)

SHRI V. N. HEGGADE SHRI S. C. UPADHYAY (Alternate)

SHRI SATISH KUMAR SHARMA
DR CHETAN HAZAREE (Alternate)

Shri Deepak Bansal Shri Mahesh Tandon

SHRI GANESH JUNEJA (Alternate)

SHRI VIVEK NAIK
SECRETARY GENERAL (Alternate)

REPRESENTATIVE

PROF DEVDAS MENON

DR MANU SANTHANAM (Alternate)

Organization

Indian Institute of Technology Roorkee, Roorkee

Indian Roads Congress, New Delhi

Institute for Solid Waste Research and Ecological Balance, Visakhapatnam

Military Engineer Services, Engineer-in-Chief's Branch, Army HQ, New Delhi

Ministry of Road Transport and Highways, New Delhi

National Council for Cement and Building Materials, Ballabgarh

National Test House, Kolkata

Nuclear Power Corporation of India Ltd, Mumbai

Nuvoco Vistas Corporation Limited, Mumbai

OCL India Limited, New Delhi

Public Works Department, Govt of Tamil Nadu, Chennai

The India Cements Limited, Chennai

The Indian Hume Pipe Company Limited, Mumbai

The Institution of Engineers (India), Kolkata

The Ramco Cements Limited, Chennai

Ultra Tech Cement Ltd, Mumbai

Voluntary Organization in Interest of Consumer Education, New Delhi

In personal capacity [B-806, Oberoi Exquisite, Oberoi Garden City, Goregaon (East), Mumbai]

In personal capacity (36, Old Sneh Nagar, Wardha Road, Nagpur)

In personal capacity (EA-92, Maya Enclave, Hari Nagar, New Delhi)

In personal capacity (E-1, 402, White House Apartments, R. T. Nagar, Bengaluru)

BIS Directorate General

Representative(s)

PROF V. K. GUPTA

DR BHUPINDER SINGH (Alternate)

SECRETARY GENERAL
DIRECTOR (Alternate)

Dr N. Bhanumathidas

Shri N. Kalidas (Alternate)

Maj Gen S. K. Srivastav Shri Man Singh (*Alternate*)

Shri A. P. Pathak

SHRI A. K. PANDEY (Alternate)

Shri V. V. Arora

DR S. HARSH (Alternate)

SHRI SHIR SINGH

SHRIMATI S. A. KAUSHIL (Alternate)

SHRI ARVIND SHRIVASTAVA

Shri Raghupati Roy (Alternate)

Shri Pranav Desai

SHRI RAVINDRA KHAMPARIA (Alternate)

Dr S. C. Ahluwalia

SUPERINTENDING ENGINEER

Executive Engineer (Alternate)

DR D. VENKATESWARAN

SHRI P. R. BHAT

SHRI S. J. SHAH (Alternate)

Dr H. C. Visvesvaraya

Shri S. H. Jain (Alternate)

Shri Balaji K. Moorthy

SHRI ANIL KUMAR PILLAI (Alternate)

Shri Surya Valluri

DR M. R. KALGAL (Alternate)

Shri M. A. U. Khan

Shri B. Mukhopadhyay (Alternate)

Shri A. K. Jain

Shri L. K. Jain

SHRI R. C. WASON

Shri S. A. Reddi

SHRI SANJAY PANT, Scientist 'F' and Head (Civil Engg)

[Representing Director General (Ex-officio)]

Member Secretary
Shrimati Divya S.
Scientist 'B' (Civil Engg), BIS

Concrete Sub-committee, CED 2:2

Organization

Representative(s)

In Personal Capacity, (14A, Summer Breeze, Kuravankonam, Kowdiar, Thiruvananthapuram 695 003)

Association of Consulting Civil Engineers (India), Bengaluru

ACC Limited, Mumbai

Ambuja Cement Limited, Ahmedabad

Shri Avijit Chaubey (Alternate)

Shri Jose Kurian (Convener)

Shri J. P. Desai

Dr Bibekananda Mohapatra (Alternate)

Shri Avinash D. Shirode

SHRI K. K. MEGHASHYAM (Alternate)

Organization

Atomic Energy Regulatory Board, Mumbai

Building Materials and Technology Promotion Council, New Delhi

Bureau of Design for Hydel and Irrigation Project, Bhopal

Central Public Works Department, New Delhi

Civil-Aid Technoclinic Pvt Ltd, Bengaluru

Creative Design Consultants and Engineers Pvt Ltd, Ghaizabad

CSIR - Central Building Research Institute, Roorkee

CSIR - Central Road Research Institute, New Delhi

CSIR - Central Soil & Materials Research Station, New Delhi

CSIR - Structural Engineering Research Centre, Chennai

Department of Science and Technology, Ministry of Science and Technology, New Delhi

Elkem South Asia Pvt Ltd, Navi Mumbai

Engineers India Limited, New Delhi

Gammon India Limited, Mumbai

Hindustan Constrution Company Ltd, Mumbai

Indian Concrete Institute, Chennai

Indian Institute of Structural Engineering, Mumbai

Indian Institute of Technology Delhi, New Delhi

Indian Institute of Technology Kanpur, Kanpur

Indian Institute of Technology Madras, Chennai

Indian Institute of Technology Roorkee, Roorkee

Indian Society of Structural Engineers, Mumbai

Irrigation and Power Research Institute, Amritsar

Larsen and Toubro Limited, ECC Division, Chennai

Military Engineer Services, Engineer-in-Chief's Branch, Army HQ, New Delhi

Ministry of Road Transport & Highways, New Delhi

National Buildings Construction Corporation Limited, Haryana

National Council for Cement & Building Materials, Ballabgarh

National Institute of Technology, Warangal

Representative(s)

SHRI L. R. BISHNOI SHRI SOURAV ACHARYA (*Alternate*)

Shri J. K. Prasad

Shri Pankaj Gupta (Alternate)

SHRI S. K. KHARE
SHRI BHAGWATI PRASAD GUPTA (Alternate)

Shri A. K. Garg

Shri Rajesh Khare (Alternate)

Shri M. S. Sudarshan Shri R. Nagendra (*Alternate*)

SHRI AMAN DEEP

Dr Rajesh Deolia

Shri H. C. Arora (Alternate)

SHRI J. B. SENGUPTA
SHRI SATISH PANDEY (Alternate)

SHRI RAJEEV KUMAR SHRI M. RAJA (Alternate)

Dr B. H. Bharath Kumar Dr P. Srinivasan (*Alternate*)

SHRI CHANDER MOHAN

SHRI BRAJESH MALVIYA
SHRI SURENDRA SHARMA (Alternate)

SHRI RAJANJI SRIVASTAVA
SHRI ANURAG SINHA (Alternate)

Shri Manish Mokal Shri Sudeesh Rajendran (*Alternate*)

DR CHETAN HAZARE
SHRI AVINASH HARDE (Alternate)

SHRI K. C. TAYADE SECRETARY GENERAL (Alternate)

SHRI D. S. JOSHI
SHRI HEMANT VADALKAR (Alternate)

Dr B. Bhattacharjee
Dr Shashank Bishnoi (*Alternate*)

Dr Sudhir Mishra

Dr Manu Santhanam

 $Dr\ Ashok\ Kumar\ Jain$

Shri D. S. Joshi Shri Hemant Vadalkar (*Alternate*)

CHIEF ENGINEER (RESEARCH)
RESEARCH OFFICER (Alternate)

Dr B. Sivaram Sarma Shri S. Manohar (*Alternate*)

SHRI S. K. SRIVASTAV
SHRI MAN SINGH (Alternate)

SHRI A. P. PATHAK
SHRI A. K. PANDEY (Alternate)

SHRI H. S. YADAV SHRI PAWAN KUMAR (Alternate)

Shri V. V. Arora

Shri S. Sharma (Alternate)

Dr C. B. Kameswara Rao Dr D Rama Seshu (*Alternate*)

Organization

Nuclear Power Corporation of India Limited, Mumbai

Pidilite Industries Limited, Mumbai

Ready Mixed Concrete Manufacturers' Association, Mumbai

Research, Design & Standards Organization (Ministry of Railways),

Shapoorji Pallonji and Company Private Limited, Mumbai

Tandon Consultants Pvt Limited, New Delhi

Tata Consulting Engineers Limited, Mumbai

Ultra Tech Cement Ltd, Mumbai

Water Resource Department, Govt of Madhya Pradesh, Mumbai

In personal capacity (452 Sector 14, Sonipat, Haryana)
In personal capacity (36, Old Sneh Nagar, Wardha Road, Nagpur)
In personal capacity [B-806, Oberoi Exquisite, Oberoi Garden

City, Goregaon (East), Mumbai]
In personal capacity (EA-92, Maya Enclave, Hari Nagar,

In personal capacity (E-1, 402, White House Apartments,

R.T. Nagar, Bengaluru)
In personal capacity (M1 F1 VGN Minerva Apartments,

In personal capacity (MI F1 VGN Minerva Apartments, Guruswamy Road, Nolambur, Chennai)

Representative(s)

SHRI ARVIND SHRIVASTAVA
SHRI N. M. RAO (Alternate)

Dr Suguna Naik

SHRI VIJAYKUMAR R. KULKARNI SHRI ANIL KULKARNI (*Alternate*)

Joint Director (B&S)/CB-I

JOINT DIRECTOR (B&S)/CB-II (Alternate)

SHRI GIRISH BONDE

Shri D. N. Vishwanath (Alternate)

Shri Mahesh Tandon

Shri Vinay Gupta (Alternate)

SHRI S. N. DIWAKAR

SHRI MANOS KUMAR DE (Alternate)

Dr V. Ramachandra

Dr A. K. SINGH (Alternate)

SHRI S. K. KHARE

SHRI B. P. GUPTA (Alternate)

SHRI R. K. JAIN SHRI L. K. JAIN SHRI A. K. JAIN

SHRI R. C. WASON

Shri S. A. Reddi

DR C. RAJKUMAR

Panel for Revision of Indian Standards on Test Methods for Concrete, CED 2:2/P7

Organization

In Personal Capacity (EA-92, Maya Enclave, Hari Nagar, New Delhi 110064)

ACC Limited, Mumbai AIMIL Ltd, New Delhi

Central Public Works Department, New Delhi

Central Soil and Materials Research Station, New Delhi

Civil-Aid Technoclinic Pvt Ltd, Bengaluru

CSIR - Central Building Research Institute, Roorkee

CSIR - Central Road Research Institute, New Delhi CSIR - Structural Engineering Research Centre, Chennai

Hindustan Construction Company Ltd, Mumbai

Hydraulic & Engineering Instrument, New Delhi

Indian Concrete Institute, New Delhi

Indian Institute of Technology Madras, Chennai

Indian Institute of Technology Delhi, New Delhi

Representative(s)

SHRI R. C. WASON (Convener)

REPRESENTATIVE

Dr V. M. Sharma

Shri Ajay Prakash Mathur Shri Rajesh Khare (*Alternate*)

Shri U. S. Vidyarthi

Dr R. Nagendra

Shri Sunil V. Sonnad (Alternate)

DR A. K. PANDEY

Shri S. K. Singh (Alternate)

REPRESENTATIVE

Dr P. Srinivasan

Dr S. Bhaskar (Alternate)

Dr Chetan Hazaree

Shri Avinash Harde (Alternate)

REPRESENTATIVE

Shri Ashok Kumar Tiwari

Dr Radhakrishna Pillai

Dr Ravindra Gettu (Alternate)

Dr Shashank Bishnoi Dr S. Gupta (Alternate)

Organization

Larsen & Toubro Ltd, ECC Division, Chennai

National Council for Cement and Building Materials, Ballabgarh

Nuclear Power Corporation of India Ltd, Mumbai

RDC Concrete (India) Pvt Ltd, Mumbai

Ready Mixed Concrete Manufacturers' Association, Mumbai

In personal capacity (50 Mangla Apartments Kalkaji, New Delhi) In personal capacity (Type IV/17, President's Estate, New Delhi) Representative(s)

SHRI B. SIVARAMA SARMA
SHRI S. MANOHAR (*Alternate*)

Shri V. V. Arora Shri S. C. Sharma (*Alternate*)

Shri Arvind Shrivastava Shri A. K. Laharia (*Alternate*)

Shri K. Tagore Shri V. Meikanda Moorthy (*Alternate*)

SHRI VIJAYKUMAR R. KULKARNI SHRI JEAN PHILIPPE THIERRY (*Alternate*)

Dr S. C. Maiti Shri K. H. Babu Free Standard provided by BIS via BSB Edge Private Limited to Anand Jain - Mumbai(akjgrasim@yahoo.com) 182.58.187.116 [for non-commercial use only].

(Continued from second cover)

In the formulation of this standard, assistance has also been derived from ISO 1920-1:2004 'Testing of concrete — Part 1: Sampling of fresh concrete'.

The composition of the Committee responsible for the formulation of this standard is given in Annex B.

In reporting the result of a test or analysis made in accordance with this standard, is to be rounded off, if the final value observed or calculated, it shall be done in accordance with IS 2: 1960 'Rules for rounding off numerical values (*revised*)'.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc No.: CED 02 (10887).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.org.in

Regional Offices:	Telephones
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	$\begin{cases} 2323 & 7617 \\ 2323 & 3841 \end{cases}$
Eastern : 1/14 C.I.T. Scheme VII M, V. I. P. Road, Kankurgachi KOLKATA 700054	$ \begin{cases} 2337 \ 8499, 2337 \ 8561 \\ 2337 \ 8626, 2337 \ 9120 \end{cases} $
Northern : Plot No. 4-A, Sector 27-B, Madhya Marg, CHANDIGARH 160019	$\begin{cases} 26\ 50206 \\ 265\ 0290 \end{cases}$
Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600113	$\begin{cases} 2254 \ 1216, 2254 \ 1442 \\ 2254 \ 2519, 2254 \ 2315 \end{cases}$
Western : Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	$ \begin{cases} 2832\ 9295,\ 2832\ 7858 \\ 2832\ 7891,\ 2832\ 7892 \end{cases} $
Branches: AHMEDABAD, BENGALURU, BHOPAL, BHUBANES	SWAR. COIMBATORE.

Branches: AHMEDABAD. BENGALURU. BHOPAL. BHUBANESWAR. COIMBATORE. DEHRADUN. DURGAPUR. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. JAMMU. JAMSHEDPUR. KOCHI. LUCKNOW. NAGPUR. PARWANOO. PATNA. PUNE. RAIPUR. RAJKOT. VISAKHAPATNAM.

Published by BIS, New Delhi